

# ComSched Satellite Formats

Format: **1**  
Satellites: **AM8, AM10, AM11**

Appendix B  
Page B-1

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
1	3720.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 2  
Satellites: G13

Appendix B  
Page B-2

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level	Filter Level		
1	3720.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
1C	11720.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
2C	11740.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3C	11760.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
4C	11780.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5C	11800.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
6C	11820.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 2  
Satellites: G13

Appendix B  
Page B-3

Xpndr	Frequency	Polari-	Aural Subcarrier Freq	IF Filter			Video	Video	Audio De-	Audio 1	Audio 2	Audio 3	CC					
	(MHz)	zation Band		#1	#2	#3	CMF70	CBP70	Polarity	Level	emphasis	Filter Level	Filter Level	Filter Level	Contact			
7C	11840.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8C	11860.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9C	11880.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
10C	11900.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
11C	11920.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12C	11940.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
13C	11960.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14C	11980.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15C	12000.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
16C	12020.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
17C	12040.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
18C	12060.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
19C	12080.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
20C	12100.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
21C	12120.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
22C	12140.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
23C	12160.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
24C	12180.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 3  
Satellites: IA5, IA6

Appendix B  
Page B-4

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level	Filter Level		
1	3720.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
1C	11728.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
2C	11735.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
3C	11789.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
4C	11796.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
5C	11836.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
6C	11842.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 3  
Satellites: IA5, IA6

Appendix B  
Page B-5

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
7C	11867.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
8C	11873.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
9C	11901.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
10C	11904.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
11C	11929.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
12C	11935.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
13C	11958.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
14C	11966.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
15C	11991.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
16C	11997.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
17C	12022.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
18C	12028.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
19C	12053.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
20C	12061.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
21C	12084.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
22C	12090.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
23C	12115.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
24C	12123.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
25C	12144.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
26C	12152.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
27C	12177.0	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
28C	12183.5	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 5  
Satellites: AF1, AF2

Appendix B  
Page B-6

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level	Filter Level		
1A	3720.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
1B	3740.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2A	3760.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2B	3780.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3A	3800.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3B	3820.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4A	3840.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4B	3860.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5A	3880.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5B	3900.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6A	3920.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6B	3940.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7A	3960.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7B	3980.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8A	4000.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8B	4020.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9A	4040.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9B	4060.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10A	4080.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10B	4100.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11A	4120.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11B	4140.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12A	4160.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12B	4180.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
T1	11715.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T2	11745.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T3	11776.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T4	11806.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T5	11837.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T6	11867.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 5  
Satellites: AF1, AF2

Appendix B  
Page B-7

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
T7	11898.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T8	11928.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T9	11959.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T10	11989.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T11	12020.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T12	12050.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T13	12081.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T14	12111.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T15	12142.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T16	12172.0	V	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T17	11728.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T18	11758.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T19	11789.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T20	11819.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T21	11850.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T22	11880.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T23	11911.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T24	11941.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T25	11972.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T26	12002.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T27	12033.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T28	12063.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T29	12094.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T30	12124.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T31	12155.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
T32	12185.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

**Format: 6**  
**Satellites: AM2, AM4, AM6, A15, G10**

**Appendix B**  
**Page B-8**

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level	Filter Level		
1	3720.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
1C	11720.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
2C	11740.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3C	11760.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
4C	11780.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5C	11800.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
6C	11820.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

**Format: 6**  
**Satellites: AM2, AM4, AM6, A15, G10**

**Appendix B**  
**Page B-9**

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
7C	11840.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8C	11860.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9C	11880.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
10C	11900.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
11C	11920.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12C	11940.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
13C	11960.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14C	11980.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15C	12000.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
16C	12020.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
17C	12040.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
18C	12060.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
19C	12080.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
20C	12100.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
21C	12120.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
22C	12140.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
23C	12160.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
24C	12180.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 7  
Satellites: G3C

Appendix B  
Page B-10

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level	Filter Level		
1	3720.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
1C	11720.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
2C	11750.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3C	11750.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
4C	11780.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
5L	11795.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5U	11825.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 7  
Satellites: G3C

Appendix B  
Page B-11

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
6C	11810.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
7C	11840.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
8L	11855.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8U	11885.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9C	11870.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
10C	11900.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
11L	11915.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
11U	11945.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12C	11930.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
13C	11960.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
14L	11975.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14U	12005.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15C	11990.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
16C	12020.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
17L	12035.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
17C	12050.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
17U	12065.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
18C	12050.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
19C	12080.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
20L	12095.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
20U	12125.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
21C	12110.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
22C	12140.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F
23L	12155.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
23C	12170.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
23U	12185.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
24C	12170.0	H	K	6.200	6.800	5.800	25	N	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: **8**  
 Satellites: **AM7, G14, G15, I13**

Appendix B  
 Page B-12

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
1	3720.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 9  
Satellites: AM5

Appendix B  
Page B-13

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
1L	11715.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
1C	11730.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
1U	11745.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
2L	11723.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
2C	11743.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
2U	11758.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3L	11776.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3C	11791.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3U	11806.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
4L	11789.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
4C	11804.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
4U	11819.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5L	11837.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5C	11852.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5U	11867.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
6L	11850.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
6C	11865.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
6U	11880.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
7L	11898.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
7C	11913.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
7U	11928.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8L	11911.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8C	11926.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8U	11941.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9L	11959.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9C	11974.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9U	11989.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
10L	11972.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
10C	11987.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
10U	12002.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: **9**  
Satellites: **AM5**

Appendix B  
Page B-14

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
11L	12020.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
11C	12035.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
11U	12050.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12L	12033.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12C	12048.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12U	12063.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
13L	12081.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
13C	12096.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
13U	12111.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14L	12094.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14C	12109.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14U	12124.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15L	12142.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15C	12157.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15U	12172.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
16L	12155.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
16C	12170.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
16U	12185.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 10  
Satellites: B6

Appendix B  
Page B-15

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
1L	11713.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
1C	11725.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
1U	11737.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
2L	11737.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
2C	11749.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
2U	11761.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
3L	11762.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
3C	11774.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
3U	11786.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
4L	11786.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
4C	11798.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
4U	11810.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
5L	11811.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
5C	11823.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
5U	11835.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
6L	11835.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
6C	11847.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
6U	11859.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
7L	11860.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
7C	11872.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
7U	11884.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
8L	11884.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
8C	11896.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
8U	11908.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
9L	11909.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
9C	11921.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
9U	11933.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
10L	11933.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
10C	11945.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
10U	11957.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 10  
Satellites: B6

Appendix B  
Page B-16

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
11L	11958.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
11C	11970.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
11U	11982.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
12L	11982.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
12C	11994.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
12U	12006.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
13L	12007.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
13C	12019.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
13U	12031.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
14L	12031.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
14C	12043.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
14U	12055.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
15L	12056.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
15C	12068.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
15U	12080.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
16L	12080.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
16C	12092.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
16U	12104.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
17L	12105.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
17C	12117.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
17U	12129.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
18L	12129.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
18C	12141.5	V	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
18U	12153.5	V	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
19L	12154.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F
19C	12166.0	H	K	6.200	6.800	5.800	31	W	I	50	75	W	50	W	50	W	50	F
19U	12178.0	H	K	6.200	6.800	5.800	18	N	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 11  
Satellites: IA7

Appendix B  
Page B-17

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
1	3720.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
1C	11720.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
2C	11740.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3C	11760.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
4C	11780.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5C	11800.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
6C	11820.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 11  
Satellites: IA7

Appendix B  
Page B-18

Xpndr	Frequency	Polari-	Aural Subcarrier Freq	IF Filter			Video	Video	Audio De-	Audio 1	Audio 2	Audio 3	CC					
	(MHz)	zation Band		#1	#2	#3	CMF70	CBP70	Polarity	Level	emphasis	Filter Level		Filter Level	Filter Level	Contact		
7C	11840.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8C	11860.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9C	11880.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
10C	11900.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
11C	11920.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12C	11940.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
13C	11960.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14C	11980.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15C	12000.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
16C	12020.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
17C	12040.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
18C	12060.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
19C	12080.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
20C	12100.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
21C	12120.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
22C	12140.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
23C	12160.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
24C	12180.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 13  
Satellites: IA8

Appendix B  
Page B-19

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level	Filter Level		
C1	3740.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C2	3740.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C4	3780.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C5	3820.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C6	3820.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C8	3860.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C9	3880.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C10	3900.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C11	3920.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C12	3940.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C13	3960.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C14	3980.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C15	4000.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C16	4020.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C17	4040.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C18	4060.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C19	4080.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C20	4100.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C21	4120.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C22	4140.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C23	4160.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
C24	4180.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
K1	11720.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K2	11740.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K3	11760.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K4	11780.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K5	11800.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K6	11820.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K7	11840.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K8	11860.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: 13  
Satellites: IA8

Appendix B  
Page B-20

Xpndr	Frequency	Polari-	Aural Subcarrier Freq	IF Filter			Video	Video	Audio De-	Audio 1	Audio 2	Audio 3	CC					
	(MHz)	zation Band		#1	#2	#3	CMF70	CBP70	Polarity	Level	emphasis	Filter Level	Filter Level	Filter Level	Contact			
K9	11880.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K10	11900.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K11	11920.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K12	11940.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K13	11960.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K14	11980.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K15	12000.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K16	12020.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K17	12040.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K18	12060.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K19	12080.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K20	12100.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K21	12120.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K22	12140.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K23	12160.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
K24	12180.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

**Format: 15**  
**Satellites: AM1, AM3, AM9, G4, G11**

**Appendix B**  
**Page B-21**

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
1	3720.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
2	3740.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
3	3760.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
4	3780.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
5	3800.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
6	3820.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
7	3840.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
8	3860.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
9	3880.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
10	3900.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
11	3920.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
12	3940.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
13	3960.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
14	3980.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
15	4000.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
16	4020.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
17	4040.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
18	4060.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
19	4080.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
20	4100.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
21	4120.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
22	4140.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
23	4160.0	H	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
24	4180.0	V	C	6.200	6.800	5.800	36	W	N	50	75	W	50	W	50	W	50	F
1C	11720.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
2C	11740.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
3C	11760.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
4C	11780.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
5C	11800.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
6C	11820.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F

# ComSched Satellite Formats

Format: **15**  
 Satellites: **AM1, AM3, AM9, G4, G11**

Appendix B  
 Page B-22

Xpndr	Frequency (MHz)	Polarization	Band	Aural Subcarrier Freq			IF Filter		Video Polarity	Video Level	Audio De-emphasis	Audio 1		Audio 2		Audio 3		CC Contact
				#1	#2	#3	CMF70	CBP70				Filter Level	Filter Level	Filter Level	Filter Level			
7C	11840.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
8C	11860.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
9C	11880.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
10C	11900.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
11C	11920.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
12C	11940.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
13C	11960.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
14C	11980.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
15C	12000.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
16C	12020.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
17C	12040.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
18C	12060.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
19C	12080.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
20C	12100.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
21C	12120.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
22C	12140.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
23C	12160.0	H	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F
24C	12180.0	V	K	6.200	6.800	5.800	36	W	I	50	75	W	50	W	50	W	50	F